



## TYLER PIPE REHABILITATION OF CAST IRON SOIL PIPE & FITTINGS

Tyler Pipe • 11910 CR 492 • Tyler, TX 75706 • (800) 527-8478

### **Rehabilitation of Cast Iron Soil Pipe & Fittings**

Tyler Pipe and Coupling is required to produce pipe and fittings in compliance with ASTM A 888, ASTM A 74, or CISPI 301 standards for cast iron soil pipe and fittings. These standards include provisions that prohibit the repair of the pipe or fittings which have been damaged during manufacturing. The language found in the standards: “Pipe and fittings shall not be patched, filled, or welded to correct cosmetic, or material defects that occur during manufacturing.”

Plumbing codes address repairs in Chapter 1 “Additions, Alterations, or repairs.” This section points back to the provisions for new construction. In the cast of cast iron soil pipe and fittings, this would be the manufacturing standards.

“Additions, alterations, renovations, or repairs to existing plumbing installations shall comply with the new provisions for new construction.”

Tyler Pipe and Coupling prohibit the repair, rehabilitation, relining, or alteration of cast iron soil pipe and fittings that we manufacture.

Tyler Pipe recommends the replacement of broken, damaged or leaking pipe and/or fittings.

Tyler Pipe and Couplings

800-527-8478